HERITAGE





















Anti-bird protection system adaptable to the widest range of environmental conditions.







Square-mesh anti-bird nets are designed to protect large spaces.

MAIN ADVANTAGES

- Long-lastingEcological
- Inconspicuous
- · Cost effective

● PROTECTION

- Sloping roofs
- Inner courtyards
- Balconies
- · Metal structures or industrial premises
- Ceilings
- Bell towers
- Trees
- · Car-park interiors

DESCRIPTION

High-density polyethylene square-mesh nets, knotted and mass UV-stabilised.

Chemically inert, rot-proof, highlyresistant to different weather conditions and a very wide range of chemicals.

These nets are not anti-fall nets, which have different specifications.

● FITTING

- First make a sketch to determine the number of screw eyes and turnbuckles needed.
- Fix screw eyes every 50 cm around the perimeter and turnbuckles at corners.
- Bring the stainless-steel wire rope through the eyes and tighten it with the turnbuckles (1/10 meters).
- Fix the wire rope to the turnbuckles with u-bolts.

- · Attach each mesh of the net to the wire rope with a ring (stainless-steel or aluminium staple fastened with the net stapler).
- · Refer to the installation guide in each net for further details more over our team is available to help you.

For the dimensions (<25 m2) use of **FIXNET**® recommended (consult us)



HERITAGE YDUR





















Anti-bird protection system adaptable to the widest range of environmental conditions

BLACK	50	m=5H*	SHEET	NET
				17 🖃 1

GOLALK EL IIIESH	JHEET NE		•
COLOR	REF.	DESCRIPTION	PACKAGING
BLACK	NET109	5x5 Meters net	25 M²
BLACK	NET103	10x10 Meters net	100 M ²
	NET104	20x20 Meters net	400 M ²
	NET110	10x100 Meters net	1000 M²
STONE	NET108	5x5 Meters net	25 M ²
	NET106	10x10 Meters net	100 M ²
	NET117	20x20 Meters net	400 M²
	NET107	10x100 Meters net	1000 M ²
TRANSLUCENT	NET123	10x10 Translucent net	100 M²
	NET123C	10x100 Translucent net	1000 M²
M1	NET303	10x10 Meters net**	100 M ²
	NET304	20x20 Meters net**	400 M²
	NET310	10x100 Meters net**	1000 M²
			M1 CLASSIFICATION REPORT ON REQUEST

M1 CLASSIFICATION REPORT ON REQUEST

(:	BLACK	19	m==+*	SHEET	NET
			III = = - -	30661	17 = 1

G DEAER HE IIIES		•	
COLOR	REF.	DESCRIPTION	PACKAGING
BLACK	NET111	5x5 Meters net	25 M²
	NET101	10x10 Meters net	100 M²
++++	NET102	20x20 Meters net	400 M ²
	NET112	10x100 Meters net	1000 M²
STONE	NET114	5x5 Meters net	25 M²
	NET105	10x10 Meters net	100 M²
	NET113	10x100 Meters net	1000 M²
TRANSLUCENT	NET124	10x10 Translucent net	100 M²
	NET124C	10x100 Translucent net	1000 M²
M1	NET301	10x10 Meters net**	100 M ²
	NET312	10x100 Meters net**	1000 M²

M1 CLASSIFICATION REPORT ON REQUEST

NET* MADE TO MESURE

ON REQUEST

* OUR NETS ARE NOT ANTI-FALL, USE WITH BIRDS ONLY ** CLASSIFIED M1 NETS



ACCESSORIES FILET NE, YOUR HERITAGE Anti-bird protection system adaptable to the widest range of environmental conditions.







This is the standard tool used to fixing the nets to the wire rope.

Designed for quick use with one hand, it is essential to attach each mesh to the wire rope.

The ring staples are packed in boxes of 1000 pieces.



• Material : 100% virgin polycarbonate

· UV treated in the mass

• Dimenssions: 30 x 35 mm

· Thickness: 10 mm max





NET032 **NET033**

Zinc M6 netbolt Stainless steel M6 netbolt Unit



The netbolts are used as standard fixing of nets angles, they can also be used to support the cross cables of large nets.



ACCESSORIES

PROTECT YOUR HERITAGE





















Anti-bird protection system adaptable to the widest range of environmental conditions

REF.

DESCRIPTION

PACKAGING

🐌 ROPE

NET115

3 mm rope

1kg = 250 M



Black polyethylene rope for nets.

♠ TURNBUCKLE

NET016

M6 stainless-steel

Unit



Eye-and-hook turnbuckles are used to tighten the wire rope.

♠ WIRE ROPE

NET007A NET020A Cable 2mm 7/7 stainless steel
Cable 2mm 7/7 galvanised steel

50 M





A 2 mm 7/7 wire rope is the standard support for anti-bird nets.

It combines resistance and flexibility.

Stainless steel / Galvanised steel.

NEAK WITH SCREW

NET040 NET132 40 mm zinc screw eye Plastic plugs (6 mm)





These supports can be directly screwed into wood or into masonry with a nylon plug.

(CRIMP

NET017

Crimp

10



The crimp are used to link the cable at tensioner.

🥾 и-вост

NET018

Stainless-steel U-Bolt

10



U-bolts are available in stainless-steel. They are used to join lengths of wire rope.

👠 TRUSS CLIP

NET101B

3-10 mm zinc coated truss clips

Unit Unit



Allows the attachment of the cable to a metal IPN (3 - 15 mm) without drilling.

🍋 IMMEDIATE FIXING

NET08

4.8 cm thread hook

Unit



4.8 cm and 5.5 cm thread hook of hit in solid building materials (concrete, brick, natural stone).

Check the thred hook compatibility with material.



